





HIGHLIGHTS

70% Reporting rate




27 Malaria deaths



68 Districts have malaria upsurge

196,070 Confirmed malaria cases

4.6/1000 Malaria incidence



Test Positivity rate

99% confirmed cases treated


3% Treated cases were negative

1% Treated cases were not tested

24% Districts had inadequate ACT stock

21% Districts had inadequate RDT stock


MALARIA CASES AND REPORTING RATE



A total of 196,070 malaria confirmed cases were reported, up by 10% cases reported last week

Reporting decreased to 70% from 77% last week


MALARIA UPSURGES




68 Districts reported malaria upsurge

INCIDENCE RATE

WEEK 16




WEEK 17




Malaria incidence increased to 4.6/1000 this week from 4.2/1000 last week. This week, malaria incidence was highest in Maracha (17/1000), Lamwo (15/1000), Pader, Omoro, Otuke, Bundibugyo & Kaberamaido (14/1000), Madi Okollo & Dokolo (13/1000)

TEST POSITIVITY RATE




Test positivity rate 54% compared to 51% last week. The highest Test positivity rates were reported in Alebtong (84%), Otuke (77%), Kagadi & Dokolo (76%), Oyam (75%), Pader (74%), and Butebo, Nwoya & Maracha (73%)

ACT AVAILABILITY IN THE DISTRICTS




RDT AVAILABILITY IN THE DISTRICTS



24% and 21% districts had inadequate ACT stock and RDT stock respectively. Districts with <2 weeks of stock include: **Manafwa, Budaka, Rubanda, Kalangala, Bugiri, Jinja, Kween and Masaka.**

53% and 37% districts were overstocked with ACT and RDT respectively

TEST AND TREAT POLICY



A total of 5,639 (3%) persons who tested negative for malaria were treated compared to 5,969 (3.2%) negative cases who were treated last week.

The districts with the highest proportion of negative cases treated were Kampala (41%), Wakiso (24%), Napak (21%), Kotido & Sironko (19%) and Ntungamo (17%)

Non-adherence to the T3 policy translates into wastage of ACTs and compromises the quality of management of other febrile illnesses

MALARIA DEATH

DISTRICT	HEALTH FACILITY	DEATHS
Mbale	Mbale Regional Referral Hospital	5
Kasese	MBH Maternity Centre HC III	4
Kibuku	Kibuku HC IV	3
Fort Portal	Fort Portal Regional Referral Hospital	2
Hoima	Hoima Regional Referral Hospital	2
Kampala	New Health Care Clinic HC II	2
Kiryandongo	Panyadoli HC IV	2
Rukungiri	Bwambara HC III	1
Ibanda	Ibanda Hospital	1
Isingiro	Juru HC II	1
Mbale	Kolonyi HC IV	1
Kyenjojo	Midas Torch HC IV	1
Isingiro	Nakivale HC III	1
Otuke	Orum HC IV	1

RECOMMENDATIONS

- Need to investigate districts with persistent malaria upsurge
- Emergency stock re-distribution support to districts with inadequate stock
- Need to investigate districts with persistent low reporting rates

For further information please contact any of the following:

Jimmy OPIGO

PM NMCP/MoH

opigojimmy@gmail.com

Damian RUTAZANA

NMCP/MOH

damianamanya@gmail.com

Paul MBAKA

Assistant Commissioner

DHI/MOH

Jane Frances ZALWANGO

NMCD/PHFP

jzalwango@musph.ac.ug

Gorreti Marie ZALWANGO

NMCD/PHFP

mzalwango@musph.ac.ug